





A VISION OF GLOBAL REACH.

A VISION OF GLOBAL REACH.

FABER has a lot in common with air ... both are present all over the world.

Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both. Installing a kitchen hood is an easy'. way to improve the air in your home, of course, but only thanks to Faber. After all, we invented the kitchen hood, and we are making them better every day to provide our customers with the ultimate performance, quality and comfort.

Aspiring to a better world through leadership. Everywhere, every day.

INVESTING IN THE WORLD

Always growing, to serve more people.

THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



Fabriano (AN) -ITALIA

COMMERCIAL OFFICE

Hudson -U.S.A. Chambly -FRANCIA Istanbul -TURCHIA

Mosca -RUSSIA Pune -INDIA

PRODUCTION PLANT

Sassoferrato -ITALIA Manisa -TURCHIA Villedieu-les-Poeles -FRANCIA Byske -SVEZIA Kaluga -RUSSIA Pune -INDIA San Luis -ARGENTINA San Luis Potosi -MESSICO



FABER

COLLECTION SERIES CHIMNEYS	U
ISLAND CHIMNEYS	4
BOLT CHIMNEYS	6
DIRECT DRIVE CHIMNEYS	8
AEROSTATION CHIMNEYS	10
SIXWAY AUTOCLEAN CHIMNEYS	12
AUTOCLEAN CHIMNEYS	14
3D CHIMNEYS	17
UTOPIA SERIES HOBTOPS	20
ULTIMA SERIES HOBTOPS	22
NEXUS SERIES HOBTOPS	24
IMPERIA SERIES HOBTOPS	26
MAXUS SERIES HOBTOPS	28
HTG/HCT SERIES HOBTOPS	30
GB SERIES HOBS	32
BUILT IN OVENS	34
BUILT IN MICROWAVES	37
COOKING RANGES	38
DISHWASHERS	40
WINE CHILLERS	44
REFRIGERATORS	46
соокторѕ	48
MIXER GRINDERS	52
HAND BLENDERS & JUICER MIXER GRINDERS	54
SLOW JUICERS	56
WATER PURIFIERS	58
OTG	60
TOASTERS & SANDWICH MAKERS	62
ELECTRIC WATER KETTLES	64
AIR FRYERS	66
WET GRINDERS & MULTI COOKERS	68
WATER GEYSERS	70
HEALTH CARE PRODUCTS RANGES	74













HERCULES ISOLA DTC BK 60/90

Description: Hercules Isola DTC BK 60/90

Finish: Black

Controls: Touch control (Dual)
Lighting: 4 x Spot LED with 1.1W
Filter: 3 x 3 Layer Baffle Filter

Suction: 1000 m3/hr Width (mm): 600/900







JANUS ISOLA 90

 Description:
 Jasola Isola SS LTW 90

 Finish:
 Black / Stainless Steel

 BK Finish:
 Black + Front Glass + Rear Glass

 Controls:
 Dual Touch control (Front + Rear)

Lighting: 4 x 1. 1W Spot lamp
Filter: 3 Layer Baffle
Suction: 1000 m3/hr
Width (mm): 900/1200







STILUX ISOLA 90/120

Description: Stilux Isola Plus LTW 90/120

Finish: Stainless Steel Controls: Touch

Lighting: 4 x 1. 1W Spot Lamp Filter: 3 x Triple Layer Baffle Filter

Suction: 1000 m3/hr Width (mm): 900/1200







Description: Stilux Isola Plus LTW 90/BK90

Finish: Black Controls: Touch

Lighting: 4 x 1.1W Spot lamp
Filter: 3 x Triple Layer Baffle Filter

Suction: 1000 m3/hr Width (mm): 900





FEEL ISOLA BKTC 90

Description: Feel Isola BK TC 90

Finish: Black

Controls: Touch control (Dual)
Lighting: 4 x Spot LED with 1,1W
Filter: 2 x Triple Layer Baffle Filter

Suction: 1000 m3/hr Width (mm): 900







INTRODUCING THE NEXT GENERATION OF AUTOCLEAN CHIMNEYS WITH 360 DEGREE STEAM DRIVE TECHNOLOGY





BOLT 60/90

Description: Bolt FL SW SC BK 60/90 Finish: Black Tempered Glass

Controls: Gesture & Touch 2 Speed + 1 Turbo

Lighting: 2 x 1.5W LED lamp
Filter: Filterless
Suction: 1500 m3/hr
Width (mm): 600/900
Blower: Metal Blower
Oil Collector: Stainless Steel





Description: Thunder Bolt FL SW SC BK 90

Finish: Black Finish Function: Steam Clean

Controls: Gesture & Touch 2 Speed + 1 Turbo

Lighting: 2 x 1.5W LED lamp Filter: Filterless Suction: 1500 m3/hr Width (mm): 900

Blower: Metal Blower
Oil Collector: Stainless Steel







Faber presents the all new, all-powerful **Bolt Chimney** with never seen before **Steam Drive 360 Degree technology** that cleans the oil and other residues with just one touch.

Get ready for more performance with less maintenance.

EXPERIENCE ABSOLUTE POWER OF STEAM CLEANING

OTHER FEATURES



Filterless Technology

No cleaning hassles and zero cost maintenance.



Powerful Motor

Enables higher suction power, ensuring high performance and efficiency.



DIRECT DRIVE CHIMNEY

BRUSHLESS DC MOTOR GENERATES LESS HEAT. HAS A LONGER LIFE AND PERFORMANCE





AURA DIRECT DRIVE BF SC AC BK 60/90

Finish: Black Glass
Function: Auto Clean
Lighting: 2 x 1.5W LED lamp
Motor: 150 Watt BLDC Motor
Filter: 2 Baffle Filter
Suction: 1100/1300 m3/hr
Controls: Touch + Gesture

Speed: 9-speed touch switch with motion sensor

Width (mm): 600/900 Oil Collector: Stainless Steel







STORM DIRECT DRIVE FL SC AC BK 60/90

Finish: Black Glass
Function: Auto Clean
Lighting: 2 x 1.5W LED lamp
Motor: 150 Watt BLDC Motor
Filter: Filterless

Suction: 1500 m3/hr Controls: Touch + Gesture

Speed: 9-speed touch switch with Rpm display &

motion sensor

Width (mm): 600/900 Oil Collector: Stainless Steel












Faber launches World's only Aerostation chimney with 3D Technology



With growing air pollution & increases in the risk of health hazards, it is important to use something which keeps you and your loved one healthy & your's kitchen pollution free.

This hood comes in exciting new finishes including Alligator Black, Antique Silver & Antique Copper and also has 3 stage air purification system.

Faber introduces the world's only Aerosation Chimney with 3D Technology which offers the functionality of 3 appliances in 1. This appliance combines the functionality of a 3D chimney, a fan and an air purifier.

GLAMOUR PRO 3D BK FT 60/90

3N1 Aerostation Glamour Pro 3D BK FT 60/90 Description:

Finish: Black 3+ Intensive Speed:

Feather Touch With Backlit Controls: Lighting: 2 x 1.5W LED lamp Filter: Triple Layer Baffle 1095 m3/hr Suction: Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.

Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:

Removes Dust, Smoke particles up to size of 1 Micron.

STAR PRO 3D TC AB 60/90

Description: 3N1 Aerostation Star Pro 3D TC AB 60/90

Finish: **Alligator Black** 3+ Intensive Speed: Controls: **Touch With Backlit** Lighting: 2 x 1.5W LED lamp Triple Layer Baffle Filter: 1095 m3/hr Suction: Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air.

Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:

Removes Dust, Smoke particles up to size of 1 Micron.







Description: 3N1 Aerostation Sparkle Pro 3D AB TC 60/90

Finish: **Alligator Black** Speed: 3+ Intensive Touch With Backlit Controls: Lighting: 2 x 1,5W LED lamp Filter: Triple Layer Baffle Suction: 1095 m3/hr Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed

PURIFIER: Nylon Filter: Remove particles such as dust and dirt from the air. Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter:

Removes Dust, Smoke particles up to size of 1 Micron.

SPARK PRO 3D BK 60/90

Description: 3N1 Aerostation Spark Pro 3D BK 60/90

Finish: **Alligator Black** Speed: 3+ Intensive Push With Backlit Controls: Lighting: 2 x 1.5W LED lamp Filter: Triple Layer Baffle 1095 m3/hr Suction:

Width (mm): 600/900

FAN: Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed **PURIFIER**: Nylon Filter: Remove particles such as dust and dirt from the air. Carbon Filter: Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.







SIX WAY CHIMNEY SIX KA FIX.

KITCHEN SMOKE KA SIX WAY SOLUTION

Baffle Filter | Powerful motor | Heat Autoclean





PREMIA 3D PLUS IND 60/90

Description: Premia 3D Plus IND HC SC BK 60/90

Premia 3D Plus IND HC SC FL EBK 60/90

Finish: Black

Functions: Auto Clean, 6 Way Suction, Filterless

Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: 2 x 2 Layer Baffle Filter
Suction: 1298, 1325 m3/hr

Width (mm): 600/900 Oil Collector: Stainless Steel



modernous annous de

CREST 3D PLUS IND 60/90

Description: Crest 3D Plus IND HC SC BK 60/90/SS/60

Finish: Black

Functions: Auto Clean, 6 Way Suction, Filterless

Controls: Gesture & 3 Speed Touch Lighting: 2 x 1.5W LED lamp

Filter: Filterless
Suction: 1275 m3/hr
Width (mm): 600/900
Oil Collector: Stainless Steel





13

HOOD EVEREST SMART 3D IND

Description: Hood Everest Smart 3D IND HC SC SS 60

Finish: Stainless Steel / Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x LEO f 1.5W each

Filter: Filterless
Suction: 1250 m3/hr
Width (mm): 600

Blower: Metal BLower
Oil Collector: Stainless Steel





SILENCIO 3D IND 60/90

Description: Hood Silencio 3D IND HC SC FL BK 60/90

Hood Silencio 3D IND HC SC BF BK 60/90

Finish: Black
Functions: Heat Autoclean
Controls: Gesture + Touch
Lighting: 2 x 1.5W LED lamp

Filter: 2 x 2 Layer Baffle Filter Suction: 1325/1298 m3/hr

Width (mm): 600/900 Oil Collector: Stainless Steel









Filter Less Hood With Oil Collector Technology



SS Oil Collector




Non Stick Rotor



High Suction Power



Touch Control



Auto Glass Up-down function with Anti -Squeeze Feature



JUPITER PLUS

Description: Jupiter PLus HC SC BK 60/90

Finish: Black
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: Cone Baffle Filter
Suction: 1500 m3/hr

Width (mm): 600/900 Blower: Metal Blower Oil Collector: Stainless Steel





HOOD ALPHA HC PB BK 60/90

Description: Hood Alpha HC PB BK 60/90

Finish: Black

Function: Heat Autoclean
Controls: Push Button
Lighting: 2 x 1,5W LED lamp
Filter: Filterless
Suction: 1100 m3/hr
Width (mm): 600/900

Blower: Metal Blower
Oil Collector: Stainless Steel





SUNNY

Description: Sunny HC SC BK 60/75/90

Finish: Black
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: Filterland

Filter: Filterless Suction: 1200 m3/hr Width (mm): 600/900

Blower: Metal Blower with Metal Housing

Oil Collector: Stainless Steel







RELISH PLUS HC BK TC 76

Description: Relish Plus HC BK TC 76

Finish: Black

Function: Electro Thermal Autoclean

Controls: Touch

Lighting: 2 x 1.5W LED lamp Filter: Filterless Suction: 1150 m3/hr Width (mm): 760 Blower: Metal

Blower: Metal
Oil Collector: Stainless Steel







Description: Vertex Plus FL TC HC BK 60/90
Finish: Black Tempered Glass
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: Filterless

Filter: Filterless
Suction: 1200/1500 m3/hr
Width (mm): 600/900
Blower: Metal Blower
Oil Collector: Stainless Steel





ZENITH

Description: Zenith FL SC AC BK 60/75/90
Finish: Black Tempered Glass
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lvighting: 2 x 1.5W LED lamp
Filter: Filterless
Suction: 1350 m3/hr
Width (mm): 600/75/1/900

Width (mm): 600/750/900 Blower: Metal Blower Oil Collector: Stainless Steel



CREST PLUS IND

Description: Hood Crest Plus IND HC SC BK 60/90
Finish: Stainless Steel Frame + Black Curved Glass

Controls: Gesture & 3 Speed Touch
Lighting: 2 x LED of 1.5W each
Filter: Filterless
Suction: 1225 m³/hr
Width (mm): 600/900





APEX

Description: Apex FL HC SC BK 60/90
Finish: Black Tempered Glass
Function: Heat Autoclean
Controls: Gesture & 3 Speed Touch
Lighting: 2 x 1.5W LED lamp
Filter: Filterless
Suction: 1500 m3/hr

Suction: 1500 m3/hr Width (mm): 600/900 Blower: Metal Blower Oil Collector: Stainless Steel







BLISS

Description: Hood Bliss FL SC AC BK 60/90 Finish: **Black Tempered Glass Function: Heat Autoclean** Gesture & 3 Speed Touch Controls: Lvighting: 2 x 1.5W LED lamp Filter: Filterless Suction: 1350 m3/hr

Width (mm): 600/900 Metal Blower Blower: Oil Collector: Stainless Steel





HOOD JARVIS

Description: Jarvis HC SC BK TC 60

Finish: Front Designer Glas + Black Powder Coated

Function: Heat Autoclean Controls: Gesture + Touch Lighting: 2 x LED of 1.5W each Filter: 2 x 2 Layer Baffle Filter

1200 m3/hr Suction: Width (mm): 600

Blower: **Metal Blower** Oil Collector: Stainless Steel





Win *mill*

WWW.

HOOD MARTINEZ

Description: Hood Martinez HCTC BK 90

Finish: Black Glass Heat Autoclean **Function:** Controls: **Touch Control** Lighting: 2 x 1.5W LED lamp Filter: Filterless Suction: 1200 m3/hr Width (mm): 900

Blower: **Metal Blower** Oil Collector: Stainless Steel





MIAMI

Description: Hood Miami FL SC AC BK 60/90

Stainless Steel Frame + Black Curved Glass Finish: Controls: Gesture & 3 Speed Touch

2 x LED of 1.5W each Lighting: Filter: Filterless

Suction: 1200 m3/hr Width (mm): 600/900

Blower: **Metal Blower** Oil Collector: Stainless Steel





HOOD ZEST

Description: Hood Zest HC SC FL BK 60/90

Finish: Black

Function:

Heat Autoclean Gesture & 3 Speed Touch

Controls: 2 x 1.5W LED lamp Lighting: Filter: Filterless Suction: 1100 m3/hr Width (mm): 600/900 Blower: Metal Blower

Oil Collector: Stainless Steel





ACE PRO

Description: Ace Pro HC PB BK 60/90

Finish: Black Heat Autoclean **Function:** Controls: **Push Button** Lighting: 2 x 1.5W LED lamp Filterless Filter: 1100 m3/hr Suction:

Width (mm): 600/900 Blower: **Metal Blower** Oil Collector: Stainless Steel











STILUX 3D

Description: Stilux 3D Plus T2S2 TC Sen Max LTW 90/60

Stilux 3D T2S2 BK TC LTW 60/90/120 Stilux 3D T2S2 TC LTW 60/90

Stainless Steel / Black / Black Mirror Finish:

Controls: Touch 2 x 1.1W LED lamp Lighting: Filter: 3 Layer Baffle Filter 3D Plus Max: 1350 m3/hr. Suction:

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/900/1200







STILO 3D

Description: Stilo 3D Plus T2S2 Max LTW 60/90

Stilo Slim 3D Plus T2S2 BK LTW 60/90

Stilo Slim 3D Plus T2S2 LTW 60/90

Finish: Stainless Steel / Black **Push Buttons** Controls: Lighting: 2 x 1.1W LED lamp Filter: 3 Laver Baffle

3D Plus Max: 1350 m3/hr. Suction:

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/900





FEEL 3D

Description: Feel 3D Plus T2S2 TC Sen Max LTW 60/90

Feel 3D T2S2 BK TC LTW 60/90 Feel 3D T2S2 PB LTW 60/90


Black with Curve Glass Finish: Controls: Touch / Push Buttons Control

Lighting: 2 x 1,1W LED lamp Filter: 3 Layer Baffle Suction:

3D Plus Max: 1350 m3/hr.

3D: 1095 m3/hr

Width (mm): 600/900







ARCO 3D

Description: Arco 3D T2S2 Max LTW 60/90

Arco 3D Plus T2S2 BK LTW 60/90 Arco 3D Plus T2S2 LTW 60/90

Black with Bend Glass Finish: Controls: **Push Buttons** Lighting: 2 x 11W LED lamp Filter: 3 Layer Baffle

3D Plus Max: 1350 m3/hr. Suction:

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr,

Width (mm): 600/900





SUPER 3D

Description: Super 3D Plus Max T2S2 BK TC 60/90

Super 3D Plus T2S2 BK TC LTW 60/90

Black with Flat Glass Finish:

Touch Controls: 2 x 1.1W LED lamp Lighting: Filter: 3 Layer Baffle

3D Plus Max: 1350 m3/hr, Suction:

3D Plus: 1150 m3/hr

Width (mm): 600/900







COCKTAIL 3D

Description: Cocktail 3D T2S2 BK TC LTW 60/90

Finish: **Black Mirror** Controls: Touch 2 x 1.1W LED lamp Lighting: Filter: Cassette Suction: 1095 m3/hr Width (mm): 600/900







TOPAZ SMART* 3D

Description: Topaz Smart 3D T2S2 BK TC LTW 60/90

Finish: Black Conical **Touch Control** Controls: Lighting: 2 x 1,1W LED lamp 3 Layer Baffle Filter: Suction: 1095 m3/hr Width (mm): 600/900





TENDER 3D

Finish:

Description: Tender 3D T2S2 Max LTW 60/90/ BK 60/90

Tender 3D T2S2 LTW 60/90 Tender 3D T2S2 BK LTW 60/90 Stainless Steel Conical / Black

Controls: **Push Buttons** Lighting: 2 x 2W CFL lamp Filter: 3 Layer Baffle 3D Max: 1295 m3/hr, Suction:

3D: 1095 m3/hr, 3D Plus: 1150 m3/hr,

Width (mm): 600/900







TRATTO 3D

Width (mm): 600/900

Description: Tratto 3D T2S2 LTW 60/90 Black with Black Mirror Finish: **Touch Control** Controls: 2 x 1.1W LED lamp Lighting: Filter: 3 x 2 Layer Baffle Suction: 1095 m3/hr







GLASSY 3D

Finish:

Description: Glassy 3D T2S2 Max LTW 60/90

Glassy 3D T2S2 LTW 60/75/90 Glassy 3D T2S2 BK LTW 60/90 Stainless Steel / Black Glass

Controls: **Push Button Control** 2 x 1.1W LED lamp Lighting: Filter: 3 Layer Baffle

3D Plus Max: 1350 m3/hr, Suction: 3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.

Width (mm): 600/750/900









PRETTY PLUS PRO

Description: Pretty Plus Pro BK LTW 60 Finish: **Black Powder Coated** Controls: **Push Button** 2 x 1.1W LED lamp Lighting:

Filter: Baffle Suction: 1000 m3/hr Width (mm): 600







MARTINI

Description: Martini TC BK LTW 60 Finish: Black Mirror Controls: Touch 2 x 1. 1W LED lamp Lighting:

Filter: Baffle Suction: 1000 m3/hr Width (mm): 900







CLASS PRO

Description: Class Plus LTW 60

Black Finish: Controls: **Push Button**

Lighting: 2 x 2.W LED Filament lamp

Filter: Baffle 1000 m3/hr Suction: Width (mm): 600





GLASSY

Description: Glassy SS LTW 60 Stainless Steel and Glass Finish:

Push Button Controls: Lighting: 2 x 1.W LED lamp Baffle Filter: 800 m3/hr Suction: Width (mm): 600





.....

RUBY XL TC

Description: Ruby XL TC SS 60 Stainless Steel Finish: Controls: Touch Lighting: LED lamp 1 x 2W Filter: Baffle

700 m3/hr Suction: Width (mm): 600







RUBY XL PB

Description: Ruby XL PB SS 60 Stainless Steel Finish: Controls: **Push Button** Lighting: LED lamp 1 x 2W Filter: Baffle

700 m3/hr Suction: Width (mm): 600





RUBY XL TC

Width (mm): 600

Description: Ruby XL TC BK 60 Finish: Black

Controls: Touch LED lamp 1 x 2W Lighting: Filter: Baffle Suction: 700 m3/hr











INTRODUCING THE UTOPIA RANGE



LOOKS GREAT, COOKS BETTER!



Dual Flame Burners

- High Performance 4 KW Burner with Dual Functionality
- Lower Single Flame of 1.7 KW provides versatility in product usage

Auto Burner Shut off for Superior Safety

Cast Iron
Pan Support

Auto Ignition Special Grid Design for Higher Burner Efficiency



UTOPIA HT 905 BR CI

Width (mm): 90 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 2 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 900 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 825 x 475 x WxD (mm)









UTOPIA HT 804 BR CI

Width (mm): 80 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 800 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WxD (mm)









UTOPIA HT 903 BR CI

Width (mm): 90 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 900 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 825 x 475 x WxD (mm)









UTOPIA HT 783 BR CI

Width (mm): 78 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 780 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WXD (mm)









UTOPIA HT 604 BR CI

Width (mm): 60 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+ 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 600 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 555 x 475 x WxD (mm)









UTOPIA HT 603 BR CI

Width (mm): 60 cm

Finish: 8mm Black Tempered Glass

Pan Support: Cast Iron

Burners: 1 x 4Kw Triple Ring Dual Flame

+1x3Kw Mini Triple Ring +1x1.7 Kw Double Ring

with Black Enamel Coating

Knob: Premium Metal Knobs with Golden Insets
Ignition: In-Built Auto Ignition with AC 230V Power Supply

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 600 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 555 x 475 WxD (mm)











INTRODUCING

ULTIMA RANGE

INDIA'S ONLY HOB COOKTOP WITH TRIPLE RING FLAME IN ALL BURNERS



ULTIMATE BURNER PERFORMANCE





DIRECT FLAME TECHNOLOGY

- High Performance 3KW and 2.0 KW Burner combination
- Black Enameled Burners for superior Aesthetic looks

Flame Failure Device **Evenly** Cooking

Auto Ignition

Cast Iron Pan Supports



ULTIMA PLUS HT904 CRS BR CI AI

Width (mm): 90 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

Burners: 2 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

Knob: Premium Metal Knobs

Ignition: In-Built Auto Electric with 1.5V DC Battery

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 900* 525* 145 WxDxH (mm)
Carcass Dimensions: 825* 475 WxD (mm)









ULTIMA HT 904 CRS BR CI AI

Width (mm): 90 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

Burners: 2 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

Knob: Premium Metal Knobs

Ignition: In-Built Auto Electric with 1.5V DC Battery
Product Dimensions: 900* 525* 145 WxDxH (mm)
Carcass Dimensions: 825 * 475 WxD (mm)







ULTIMA PLUS HT783 CRS BR CI AI

Width (mm): 80 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

Burners: 2 x 3Kw Triple Ring Flame +

1 x 2Kw Triple Ring with Black Enamel Coating

Knob: Premium Metal Knobs

Ignition: In-Built Auto Electric with 1.5V DC Battery

Safety Device: FFD (Flame Failure Device)
Product Dimensions: 800 x 525 x 130 WxDxH (mm)
Carcass Dimensions: 685 x 475 WxD (mm)









ULTIMA HT724 CRS BR CI AI

Width (mm): 72 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

Burners: 2 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

Knob: Premium Metal Knobs

Ignition: In-Built Auto Electric with 1.5V DC Battery Product Dimensions: 720* 525* 145 WxDxH (mm) Carcass Dimensions: 675 x 475 WxD (mm)







ULTIMA HT723 CRS BR CI AI

Width (mm): 72 cm

Ignition: In-Built Auto Ignition

Pan Support: Cast Iron

Burners: 1 x 3Kw Triple Ring Flame +

2 x 2Kw Triple Ring with Black Enamel Coating

Knob: Premium Metal Knobs

Ignition: In-Built Auto Electric with 1.5V DC Battery
Product Dimensions: 720* 525* 145 WxDxH (mm)
Carcass Dimensions: 675 x 475 WxD (mm)











3D FLAME TECHNOLOGY

- High Performance 3Kw Triple Ring Burner
- Faster and evenly cooking

Flame Failure | Full Brass | Cast Iron | Auto | Special Grid Design for Device | Burner | Pan Support | Ignition | Higher Burner Efficiency



NEXUS IND HT 905 CRS BR CI AI

90 cm Width (mm):

Finish: Black Tempered Glass

Pan Support: Cast Iron Knob: Premium Metallic

3 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double **Burners**:

Ring Brass Burner with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)







NEXUS IND HT 904 CRS BR CI AI

Width (mm): 90 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron Knob: Premium Metallic

2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double **Burners:**

Ring Brass Burner with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)



NEXUS STAR IND HT 783 CRS BR CI AI

Width (mm): 78 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron

Premium Metallic Knob:

Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition:

Safety Device: FFD (Flame Failure Device) Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 705 x 475 WxD (mm)











NEXUS IND HT 784 CRS BR CI AI

Width (mm): 78 cm

Black Tempered Glass Finish:

Pan Support: Cast Iron Knob: Premium Metallic

Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)





NEXUS IND HT 604 CRS BR CI AI

Width (mm): 60 cm

Black Tempered Glass Finish:

Pan Support: Cast Iron Knob: Premium Metallic

2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double **Burners:** Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery

Ignition: Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 555 x 475 WxD (mm)









NEXUS STAR IND HT 904 CRS BR CI AI

Width (mm): 90 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron Knob: Premium Metallic

2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double **Burners:**

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery

Safety Device: FFD (Flame Failure Device) Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 x 50 WxD (mm)









NEXUS IND HT 803 CRS BR CI AI

Width (mm): 80 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron Premium Metallic Knob:

Burners: 2 x 3Kw Triple Ring + 1 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition: Safety Device: FFD (Flame Failure Device) Product Dimensions: 800 x 380 x 145 WxDxH (mm) Carcass Dimensions: 705 x 325 WxD (mm)







NEXUS IND HT 783 CRS BR CI AI

Width (mm): 78 cm

Black Tempered Glass Finish:

Pan Support: Cast Iron Knob: Premium Metallic

1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double **Burners:**

Ring Brass Burner with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 780 x 525 x 130 WxHxD (mm) Carcass Dimensions: 705 x 475 W(mm)







NEXUS STAR IND HT 654 CRS BR CI AI

Width (mm): 60 cm

Finish: **Black Tempered Glass** Pan Support: Cast Iron

Knob: Premium Metallic **Burners**: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double

Ring Brass Burner with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Safety Device: FFD (Flame Failure Device) Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)











NEXUS HT 603 CRS BR CI AI

Width (mm): 60 cm Premium Metallic Finish:

Pan Support: Cast Iron Knob: Black Metal

1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double **Burners:** Ring Brass Burner with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 555 x 475 WxD (mm)









INTRODUCING

IMPERIA HOB COOKTOP HYBRIDS

Safety:
FFD: Flame Failure Device is a safety feature which automatically cuts off the gas supply if the flame goes out stopping any gas flow.







TRIPLE & DUAL RING BURNER

- High Performance 3KW and 1.7 KW Burner combination
- Black Enameled Burners for superior Aesthetic looks

Flame Failure **Device**

Premium Metal Knobs with Black Insets

Heavy Duty Cast Ignition | Iron Pan Supports



IMPERIA 905 BRB CI BK

Width (mm): 90 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron

Knob: Premium Metallic with Black Insets

Burners: 3 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition: Product Dimensions: 900 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 825 x 475 WxD (mm)







IMPERIA PLUS 784 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob: Safety Device: FFD (Flame Failure Device)

2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring Burners:

with Black Enamel Coating

In-Built Auto Ignition with AC 230V Power Supply Ignition:

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









IMPERIA 784 BRB CI BK

Width (mm): 78 cm

Black Tempered Glass Finish:

Pan Support: Cast Iron

Knob: Premium Metallic with Black Insets

2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:**

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Ignition:

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)







IMPERIA PLUS 783 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron

Knob: Premium Metallic with Black Insets Safety Device: FFD (Flame Failure Device)

1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring Burners:

with Black Enamel Coating

In-Built Auto Ignition with AC 230V Power Supply

Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









IMPERIA 783 BRB CI BK

Width (mm): 78 cm

Finish: **Black Tempered Glass**

Pan Support: Cast Iron

Knob: Premium Metallic with Black Insets

Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 780 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 685 x 475 WxD (mm)









IMPERIA PLUS 604 BRB CI BK

Width (mm): 60 cm

Black Tempered Glass Finish:

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob:

Safety Device: FFD (Flame Failure Device)

Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring

with Black Enamel Coating

In-Built Auto Ignition with AC 230V Power Supply Ignition:

Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)









IMPERIA 604 BRB CI BK

60 cm Width (mm):

Finish: **Black Tempered Glass**

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring **Burners:**

with Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery

Product Dimensions: 600 x 525 x 130 WxDxH (mm) Carcass Dimensions: 555 x 475 WxD (mm)







IMPERIA 603 BRB CI BK

60 cm Width (mm):

Finish: **Black Tempered Glass**

Carcass Dimensions: 555 x 475 WxD (mm)

Pan Support: Cast Iron

Premium Metallic with Black Insets Knob:

Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring

with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 600 x 525 x 130 WxDxH (mm)










INTRODUCING

MAXUS HOB COOKING HYBRIDS



MULTI FLAME BURNER

- High Power 2.5KW Burner
- Lower Flame of 1.5KW provides consumer versatility in product usage

Brass Burner with Black Enamel Coating Cast Iron
Pan Support

Auto Ignition

Premium Metal Knobs with Golden Insets



MAXUS HT 905 CRS BR CI AI

Width (mm): 86 cm

Finish: 8 mm Black Tempered Glass

Burners: 3 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Premium Metallic with Golden Insects Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)







MAXUS HT904 CRS BR CI AI

Width (mm): 90 cm

Finish: 8 mm Black Tempered Glass

Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Premium Metallic with Golden Insects Knoh: Product Dimensions: 900 x 525 x 130 WxDxH (mm) Carcass Dimensions: 825 x 475 WxD (mm)







MAXUS HT803 CRS BR CI AI

Width (mm): 80 cm

Finish: 8 mm Black Tempered Glass

2 x 2.5Kw and 1 x 1.5Kw with Black Enamel Coating **Burners:** Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support: Cast Iron

Premium Metallic with Golden Insects Knob: In-Built Auto Electric with 1.5V DC Battery lanition: Product Dimensions: 800 x 380 x 145 WxDxH (mm) Carcass Dimensions: 705 x 325 WxD (mm)







MAXUS HT784 CRS BR CI AI

Width (mm): 78 cm

Finish: 8 mm Black Tempered Glass Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery lanition:

Pan Support: Cast Iron

Knob: Premium Metallic with Golden Insects In-Built Auto Electric with 1.5V DC Battery Product Dimensions: 780 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 685 x 475 WxD (mm)







MAXUS HT783 CRS BR CI AI

Width (mm): 78 cm

Finish: 8 mm Black Tempered Glass

1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating Burners: In-Built Auto Ignition with 1.5V DC Battery lanition:

Pan Support: Cast Iron

Ignition: In-Built Auto Electric with 1.5V DC Battery Premium Metallic with Golden Insects Knob: Product Dimensions: 780 x 525 x 130 WxDxH (mm) Carcass Dimensions: 685 x 475 WxD (mm)







MAXUS HT 604 CRS BR CI AI

Width (mm): 60 cm

Finish: 8 mm Black Tempered Glass

2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating **Burners:** Ignition: In-Built Auto Ignition with 1.5V DC Battery

Pan Support:

Premium Metallic with Golden Insects Product Dimensions: 600 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 555 x 475 WxD (mm)







MAXUS HT 603 CRS BR CI AI

Width (mm): 60 cm

Finish: 8 mm Black Tempered Glass

1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating **Burners**: In-Built Auto Ignition with 1.5V DC Battery lanition:

Pan Support: Cast Iron

Premium Metallic with Golden Insects Knob: Product Dimensions: 600 x 525 x 130 WxHxD (mm) Carcass Dimensions: 555 x 475 WxD (mm)












INTRODUCING

HTG/HCT HOB **COOKTOP HYBRIDS**







TRIPLE & DUAL RING BURNER

- High Performance Burner
- Lotus Flame

Glass Edge Protector

Knob Protector **Pan Support**

Special Grid Design for Ignition | Higher Burner Efficiency



HTG 905 CRS BR CI

Width (mm): 90 cm

8 mm Black Tempered Glass Finish: Pan Support: Knob Protector Enameled Grid

Knob: Premium Bakelite

3 x Triple Ring + 2 x Double Ring Brass Burners **Burners:** In-Built Auto Ignition with 1.5V DC Battery lanition: Product Dimensions: 900 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 825 x 470 WxD (mm)









HTG 754 CRS BR CI

Width (mm): 75 cm

8 mm Black Tempered Glass Finish: Pan Support: Knob Protector Enameled Grid Knob: Premium Bakelite

Burners: 2 x Triple Ring + 2 x Double Ring Brass Burners In-Built Auto Ignition with 1.5V DC Battery lanition: Product Dimensions: 750 x 525 x 130 WxDxH (mm)

Carcass Dimensions: 670 x 470 WxD (mm)







HTG 753 CRS LBK CI

Width (mm): 75 cm

Finish: 8 mm Black Tempered Glass Pan Support: Knob Protector Enameled Grid

Premium Bakelite Knob:

1 Medium + 2 x Double Ring Brass Burners **Burners:** In-Built Auto Ignition with 1.5V DC Battery Ignition: Product Dimensions: 750 x 525 x 130 WxDxH (mm) Carcass Dimensions: 670 x 470 WxD (mm)









HTG 654 CRS BR CI/WH

65 cm Width (mm):

Finish: 8 mm Black /White Tempered Glass Pan Support: Knob Protector Enameled Grid

Premium Bakelite Knob:

Burners: 2 Triple Ring + 2 x Double Ring Brass Burners In-Built Auto Ignition with 1.5V DC Battery Ignition: Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)







HTG 653 CRS BR CI/WH

Width (mm): 65 cm

8 mm Black Tempered Glass Finish: Pan Support: Knob Protector Enameled Grid

Knob: Premium Bakelite

1x Triple Ring + 2x Double Ring Brass Burners **Burners:** In-Built Auto Ignition with 1.5V DC Battery lanition:

Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)









HCT 754 SR CRS LBK CI

Width (mm): 75 cm

Finish: 8 mm Black Tempered Glass

Pan Support: **Enameled Grid** Premium Bakelite Knob:

2 Medium + 2 x Small Lotus Brass Burner with Rurners:

Black Enamel Coating

Ignition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 750 x 525 x 130 WxDxH (mm) Carcass Dimensions: 670 x 470 WxD (mm)







HCT 753 SR CRS LBK CI

Width (mm): 75 cm

Finish: 8 mm Black Tempered Glass

Pan Support: Enameled Grid Premium Bakelite Knob:

2 Medium + 1 x Small Lotus Brass Burner with **Burners**:

Black Enamel Coating

lanition: In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 750 x 525 x 130 WxDxH (mm) Carcass Dimensions: 670 x 470 WxD (mm)











HCT 654 CRR LBK CI

Width (mm): 65 cm

8 mm Black Tempered Glass Finish: Pan Support: **Enameled Grid**

Premium Bakelite Knob:

2 Medium + 2 x Small Lotus Brass Burner with **Burners:**

Black Enamel Coating

In-Built Auto Ignition with 1.5V DC Battery Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)





HCT 653 CRR LBK EI AI

Width (mm): 65 cm

Finish: 8 mm Black Tempered Glass

Pan Support: Enameled Grid Knob: Premium Bakelite

2 Medium + 1 x Small Lotus Brass Burner with Black Enamel Coating **Burners:**

In-Built Auto Ignition with 1.5V DC Battery lanition: Product Dimensions: 650 x 525 x 130 WxDxH (mm) Carcass Dimensions: 595 x 470 WxD (mm)











GB SERIES

MINI TRIPLE RING BURNER MEDIUM RING BURNER IN-BUILT AUTO IGNITION





GB 724 SR 2MTC AUX

Width (mm): 72 cm

Finish: 8 mm Black Tempered Glass Burners: 2 Medium Burner + 1 Small Burner +

1 Mini Triple Ring Burner

In-Built Auto Ignition with AC 230V Power Supply Ignition:

Pan Support: Knob Protector Enameled Grid

Premium Bakelite Knob: Product Dimensions: 720 x 530 LxW(mm) Carcass Dimensions: 575 x 480 LxW (mm)



GB 724 2SR + MTC + AUX

Width (mm): 72 cm

Finish: 8 mm Black Tempered Glass 1 Medium Burner + 2 Small Burner + **Burners**:

1 Mini Triple Ring Burner

In-Built Auto Ignition with AC 230V Power Supply Ignition:

Pan Support: Enameled Grid Premium Bakelite Knob:

Product Dimensions: 720 x 530 LxW(mm) Carcass Dimensions: 575 x 480 LxW (mm)



GB723SR + 2MTC + AUX

Width (mm): 72 cm

Finish: 8 mm Black Tempered Glass **Burners**: 1 Medium Burner + 1 Small Burner +

1 Mini Triple Ring Burner

Ignition: In-Built Auto Ignition with AC 230V Power Supply

Pan Support: Enameled Grid Knob: **Premium Bakelite** Product Dimensions: 720 x 530 LxW(mm)









BUILT-IN OVENS



Multi Cooking



Conventional Top & Bottom



Fast Heat up





FBIO 83L 18F TFT BK

- 60 cm 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 18 Cooking Functions Electronic Auto Program
- TFT Touch Control Digital Timer
- 3D hot air circulation system Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxD): 558x587 mm





FBIO 83L 15F BK

- 60 cm 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 15 Cooking Functions Electronic Auto Program
- Sensor Touch Control Digital Timer
- 3D hot air circulation system Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm





FBIO 80L 10F BS

- 60 cm 80 Ltr. Oven Capacity
- A Class Energy efficieny Sensor touch control
- Conventional top and bottom heat
- Full surface grill/Fan Assisted grill
- Top oven/Multi-Cooking/Defrosting
- LED fully electronic display Auto Program
- Three layeres glass door
- Removable inner Glass 5 shelf positions
- **Enamel Interior for easy cleaning**
- Rotisserie Digital clock
- With 10 heating methods
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm





FBIO 80L 10F GLM-Steamer

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 10 Cooking Functions Electronic Auto Program
- Sensor Touch + Knob Control Digital Timer
- Cooling Fan Rotisserie
- Enamel Interior for easy cleaning
- Chromed side racks with anti-tilt system
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm



FBIO 80L 8F / FBIO 80L 8F BK

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
 8 Cooking Functions
- Touch + Push / Pull Knob Control Digital Display
- Electronic timer Auto Program
- Three layers glass door . Cool touch glass
- 5 shelf positions Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm Carcass Size (WxH): 595x595 mm







FBIO 83L 6F AF BK

- 60 cm 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 6 Cooking Functions Electronic Auto Program
- Sensor Touch Control Digital Timer
- 3D hot air circulation system Air fry function
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm





FBIO 80L 6F / FBIO 80L 6F BK

- 60 cm 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency 6 Cooking Functions
- Knob Control Mechnanical Timer
- Convection Fan Cooling Fan Rotisserie
- Three layers glass door Cool touch glass
- 5 shelf positions Side rack support Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm



Also available in Stainless Steel Strips

FBIO 80L 4F / FBIO 80L 4F BK

- 60 cm 80 Ltr. Oven Capacity
- **Electric Multifunction Oven**
- A Class Energy efficiency 4 Cooking Functions
- Knob Control Mechnanical Timer
- Convection Fan Three layers glass door
- Cool touch glass 5 shelf positions **Enamel Interior for easy cleaning**
- Oven Size (WxHxD): 594x594x569 mm Carcass Size (WxH): 595x595 mm









FPO 621 BK

- 60 cm 83 Ltr. Oven Capacity
- Black Glass Finish
- Electric Multifunction Oven
- 10 Cooking Functions Electronic Auto Program
- Memory Function Sensor Touch Control
- Digital Timer Cooling Fan
 Rotisserie Electronic Child lock
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm





FPO 621 SS

- 60 cm 83 Ltr. Oven Capacity
- Black Glass with SS Trim Finish
- 10 Cooking Functions
- Electronic Auto Program
- Sensor Touch Digital Timer Cooling Fan Rotisserie
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm





FBI WD 6P TC BS

- 14cm deep warming drawer, suitable for installation in a 60 cm high niche together with a 60 cm width steam oven, microwave combi oven, or with a coffee machine usable height approx. 10 cm
- 6 place settings or 20 plates ø 28 cm or up to 80 Espresso cups or 40 Cappuccino cups (depending on size and style) Max. load 20 kg
- Hot air fan system for heating crockery
- Temperatures freely adjustable from approx. 30° 80°
- Iluminated on / off switch
- 230 V, 50Hz, 432W
- Touch Control

FBIO 67L 10F GLB

- 60 cm 67 Ltr. Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency -15%
- 10 Cooking Functions Electronic Auto Program
- Memory Function Sensor Touch Control
- Digital Timer Cooling Fan
- Rotisserie Electronic Child lock
- Oven Size (WxHxD): 594x594x566 mm
- Carcass Size (WxH): 595x595 mm







FBIMWO 38L CGS BS

- Capacity 38 L
- Fully sensor touch control
- LED fully electronic display
- Cooking duration setting
- Door interlock (safety switch)
- Stainless steel cavity
- Digital clock with automatic cut off timer
- Child lock system Defrost Recipe
- Microwave + Grilling + Convection
- MWO Size (WxHxD): 594x455x486 mm
- Carcass Dimension (WxH): 565x458 mm





FPM 621 BK

- Width: 60 cm Capacity: 38 L
- Finish: Black Glass Finish
- Sensor touch control
- MWO + Grill + Convection functions
- Digital timer with auto cut off
- Auto cook menus
- Oven Size: (WxHxD): 594*455*486 mm
- Carcass Size: (WXH): 565*458 mm





FBIMWO 38L GLM

- Width: 60 cm Capacity: 38 L
- · Finish: Mirror Glass
- Microwave + Grill + Convection
- Grill + Convection Conviction Grill
- Defrost Recipe Combination Cooking
- Digital Timer Electronic Push Button Control
- MWO Size: (WxHxD): 594*455*486 mm
- Carcass Dimension: (WxH): 565*458 mm





FBIMWO 32L GLB

- Width: 60 cm Capacity: 32 L
- Finish: Black Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595*468*388 mm
- Carcass Dimesion: (WxH): 560*550*380 mm





FBIMWO 32L CGS

- Width: 60 cm Capacity: 32 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- · Child Safety Lock
- MWO Size: (WxHxD): 595*468*388 mm
- Carcass Dimesion: (WxHxD): 560*550*380 mm





FBIMWO 25L CGS

- Width: 60 cm Capacity: 25 L
- · Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Push Button Control
- MWO Size: (WxHxD): 594*470*388 mm
- Carcass Dimesion: (WxH): 560*550*380 mm





FBIMWO 25L CGS BK

- Width: 60 cm Capacity: 25 L
- Finish: Black / White Grill + Convection
- 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- Child Safety Lock
- MW0 Size: (WxHxD): 595*470*388 mm
- Carcass Dimesion: (WxHxD): 560*550*380 mm





FBIMWO 20L SG

- Width: 60 cm Capacity: 20 L
- Finish: Stainless Steel
- Grill 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595*344*382 mm
- Carcass Dimesion: (WxH): 560*500*362 mm





FBIMWO 20L SG BK

- Width: 60 cm Capacity: 20 L
- Finish: Black
- Grill 10 Auto Cook Menus
- Defrost Combination Cooking
- Digital Timer Touch Control Child Safety Lock
- MWO Size: (WxHxD): 594*344*382 mm
- Carcass Dimesion: (WxHxD): 560*500*362 mm









FCR 114L 5B HECIR

- Width: 90 cm
- Finish: Stainless Steel
- Oven Capacity: 114 Litres
- 5 Burners: 1 Triple Ring 4Kw 1 Mini
 Triple Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 900 x 600 x 890 mm





FCR 53L 4B CIR

- Width: 60 cm
- · Finish: Stainless Steel
- Oven Capacity: 53 Litres
- 4 Burners: 1 Triple Ring 4Kw
 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
 - Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 595 x 600 x 855 mm





FCR 52L 4B BEG

- Width: 55 cm
- Finish: Stainless Steel
- Oven Capacity: 52 Litres
- 4 Burners: 1 Mini Triple Ring 2.5 Kw 1 Large 3Kw + 2 Medium 1.75Kw
- Gae Gri
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 555 x 570 x 890 mm





FCR 44L 4B 4FBK

- Width: 50 cm
- Finish: Black
- Oven Capacity: 44 Litres
- 4 Burners: 1 Large + 2 Medium + 1 Smalls
- Gas Grill
- Push Button Ignition for Burners and Oven
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W*D*H): 500*500*890 mm











FBID 8PR 14S (Built-in)

- 8 Washning Programs
- 14 Place capacity
- SS Finish
- **Dual Zone Wash**
- **Power Memory**
- Auto Wash
- Extra Drying
- LED Display
- **Natural Drying**
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 815*598*600 mm
- Carcass Dimesion: (H*W*D): 820-865*600*580 mm







FSID 8PR 14S (Semi Integration)

- 8 Washning Programs
- 14 Place capacity
- SS Finish
- **Dual Zone Wash**
- **Power Memory**
- Child Safety Lock
- Power wash/Extra drying/Express
- **LED Display**
- Natural Drying 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm
- Carcass Dimesion: (H*W*D): 890*645*645 mm





FFSD 8PR 14S BK

- 8 Washning Programs
- 14 Place capacity
- Black Finish
- **Dual Zone Wash**
- **Power Memory**
- Child Safety Lock Power wash/Extra drying/Express
- **LED Display**
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm







FFSD 8PR 14S

- 8 Washning Programs
- 14 Place capacity
- Stainless Steel Finish
- **Dual Zone Wash**
- **Power Memory**
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm













Saving water

Faber products can use as little as 10L water to wash a full load dishes, without compromising on energy consumption or wash quality. What's more, Faber satellite spray and intensive spray work efficiently and reduce water greatly.

ECO

A+class energy efficiency level

Energy consuming less, efficiency improving more. Faber products have a heat exchange system which uses the heat generated in the wash cycle, to preheat the water for subsequent rinse cycles. No additional energy is required for the drying cycle and all energy gets a most reasonable utility.



Delayed start

The wash cycle can be delayed to make use of the most convenient time brands.

Auto

A special sensor sets the wash cycle in accordance with the soil level of the crockery.



Total safety

Faber dishwashers are fitted with safety systems to prevent the risk of flooding. Special devices cut off the water supply from the mains to the inlet point.



Dual Zone

This wash function allow to use either lower or upper basket when less utensils for washing, this will save consumption of water, time and energy.



FFSD 6PR 12S Neo Black

- 6 Washning Programs
- 12 Place capacity
- Neo Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm





FFSD 6PR 12S Neo White

- 6 Washning Programs
- 12 Place capacity
- · Neo White Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm





FFSD 6PR 8S Ace Inox

- 6 Washning Programs
- 8 Place capacity
- Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 595*550*500 mm
- Carcass Dimesion: (H*W*D): 662*605*555 mm







- 6 Washning Programs
- 12 Place capacity
- Neo Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 845*598*600 mm





FFSD 6PR 8S Ace Black

- 6 Washning Programs
- 8 Place capacity
- Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H*W*D): 595*550*500 mm
- Carcass Dimesion: (H*W*D): 662*605*555 mm











JCF 145S

Dual zone : 5-20°C / 41-68°F Triple Glazed Glass door Wooden shelves (46 bottles) Reversible Door

Touchpad controller with LED display

Tropical Climate Class

Circulated Fan cooling system with R600a

Frost Free System: Yes








JCF 88

Single zone : 5-20°C / 41-68°F Triple Glazed Glass door Wooden shelves (33 bottles) Reversible Door

Touchpad controller with LED display **Tropical Climate Class**

Circulated Fan cooling system with R600a

Frost Free System: Yes







JCF 58

Single zone: 5-20°C / 41-68°F Triple Glazed Glass door Wooden shelves (20 bottles) Reversible Door

Touchpad controller with LED display

Tropical Climate Class

Circulated Fan cooling system with R600a

Frost Free System : Yes







JCF 20

Single zone : 5-20°C / 41-68°F Triple Glazed Glass door Wooden shelves (7 bottles) Reversible Door Touchpad controller with LED display **Tropical Climate Class** Circulated Fan cooling system with R600a Frost Free System: Yes









Faster and Everywhere

360° Airflow technology provide cold air where it is easily lost, keeping your food fresher.

















FBIR BCD-256 RAC

FBIR BCD-256 RAC **Model Name** White Finsih

Capacity 256L Construction Type Energy Efficiency Class Built-in **A**+ Climate Class N-T Temp. Control (mechanical / electronic)

electronic Outside - on the top stripe Location of control panel

Display Electronic

Function Super cooling, Super freezing, ECO function, Holiday function Reversible

Door Refrigerant R-600a

Alarm (refrig / freezer) High temperature, Opened door

No. of Shelves in Refrigerator Number of Freezer Drawers 3 Voltage (V) 220 - 240 Frequency (Hz) 50 Weight Net / Gross (kg)
Size/Dimension H×W×D (cm) 72 177 x 54 x 54









CLASSY COOKTOPS FOR

Convenient Cooking



SAVE YOUR HOME FROM DANGERS OF GAS LEAKS.

STATE-OF-THE-ART FABER RANGE OF COOKTOPS WITH EUROPEAN GAS VALVES KEEPS YOUR KITCHEN SAFE.















TOUGHENED GLASS BLACK & WHITE COLOR



ALLOY BURNER SHOT BLAST BRASS BURNER



Nios DLX 905 BB BK

- Slim Type with Black Matt Finish Frame
- 5 Brass Burner: 2 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Tray
- Size (WxDxH): 905 x 510 x 100 mm







Nios DLX 754 BB BK

- Slim Type with Black Matt Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm







Nios DLX 753 BB BK

Nios DLX 804 BB BK

Heat Resistant Metal Knobs

Size (WxDxH): 750 x 510 x 100 mm

Diamond Coated Drip Tray

• Slim Type with Black Matt Finish Frame

Diamond Coated 5mm Grid Pan Support

4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm









Nios DLX 653 BB BK

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- **Heat Resistant Metal Knobs**
- Diamond Coated Drip Tray
- Size (WxDxH): 600 x 510 x 100 mm







PRINCE 4BB BK

- Slim Type with Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- · High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 720 x 500 x 55 mm







PRINCE 3BB BK

- Slim Type with Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm







ONYX 4BB BK CI

- Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 635 x 500 x 50 mm







ONYX 3BB BK CI

- Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 50 mm



REMO 4BB BK

- Slim Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 630 x 500 x 55 mm









REMO 3BB BK

- Slim Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 770 x 380 x 55 mm



REMO 2BB BK

- Slim Black Powder Coated Frame
- 2 Brass Burner: 1 Jumbo + 1 Small
- Powder Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 700 x 290 x 55 mm











SUPREME PLUS XL 4BB AI/4BB

- Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- **Heat Resistant Euro Coating**
- Squaure Pan Support
- Removable Square Drip Tray
- Size (WxDxH): 890 x 360 x 55 mm
- Available in Auto Ignition Alsoa







SUPREME PLUS 3BB AI/3BB

- Brush Steel Finish Frame
- 3 Burner Brass: 1 Jumbo Burner + 1 Medium + 1 Small
- **Heat Resistant Euro Coating**
- Squaure Pan Support
- Removable Square Drip Tray
- Auto Ignition: Push & Hold/Non Al
- Size (WxDxH): 770 x 380 x 55 mm







CURVO MIRROR 3BB SS

- Brush Steel Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- **Heat Resistant Euro Coating**
- **Round Pan Support**
- Removable Round Drip Tray
- Size (WxDxH): 770 x 370 x 55 mm









ELITE 4BB BK CI

- · Frame: Black Matt
- 4 Brass Burners: Forged Burners with Logo 1 Jumbo + 2 Medium + 1 Small

SUPREME PLUS 4BB AI/4BB

4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small

· Brush Steel Finish Frame

Squaure Pan Support

Heat Resistant Euro Coating

Removable Square Drip Tray

Auto Ignition: Also Push & Hold/Non Al

Size (WxDxH): 635 x 500 x 55 mm

CURVO MIRROR 4BB SS

Heat Resistant Euro Coating

Removable Round Drip Tray

Size (WxDxH): 630 x 510 x 55 mm

4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small

· Brush Steel Finish Frame

Round Pan Support

- Pan support: 800 GMs Diamond Coated
- Tray: Black Enameled
- Size (WxDxH): 640 x 510 x 55 mm







ELITE 2BB BK CI

- Black Matt Frame
- 2 Brass Burners: Forged Burners with Logo 1 Jumbo + 1 Small
- Pan support: 800 GMs Diamond Coated
- Tray: Black Enameled
- Size (LxWxH): 650 x 380 x 55 mm









SAVOY 4BB BS

- Black Steel Finish Frame
- 4 Burners with Shot Blast (Faber Logo): 1 Jumbo + 2 Medium + 1 Small
- 300 GMs Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 630 x 500 x 55 mm









SAVOY 3BB BS

- · Black Steel Finish Frame
- 3 Burners with Shot Blast (Faber Logo): 1 Jumbo + 1 Medium + 1 Small
- 300 GMs Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 770 x 380 x 55 mm









ASTRA 4BB SS

- Stainless Steel Finish Frame
- 4 Brass Burner
- 1 Super Jumbo + 1 Medium + 2 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm





ASTRA 3BB SS

- Stainless Steel Finish Frame
- 3 Brass Burner:
- 1 Super Jumbo + 1 Medium + 1 Small Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm







- Stainless Steel Finish Frame
 - 2 Brass Burner: 1 Super Jumbo + 1 Medium
- **Powder Coated Round Pan Support**
- Fixed Round Drip Trav
- Size (WxDxH): 560 x 280 x 55 mm









JUMBO XL AJ 4BB/JUMBO XL 4BB

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo): 1 Jumbo + 2 Medium + 1 Small
- Black Coated Round Pan Support
- Ignition: Manual / Auto Ignition
- Double Round Drip Tray
- Glass Size (WxDxH): 950 x 360 x 55 mm









DOUBLE JUMBO 4BB BK

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo): 2 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- · Double Round Drip Tray
- Glass Size (WxDxH): 630 x 500 x 55 mm







JUMBO 4BB BK

- Black Powder Coated Frame
- 4 Brass Burner:
 1 Jumbo + 2 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm
- Also Available in Auto Ignition Push Button









JUMBO 4BB SS

- Stailess Steel Finish Frame
- 4 Brass Burner:
 1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm









JUMBO 3BB BK

- Black Powder Coated Frame
- 3 Brass Burner:
 1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 770 x 360 x 55 mm
- Also Available in Auto Ignition Push Button









JUMBO 3BB SS

- Stainless Steel Finish Frame
- 3 Brass Burner:
 1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm









JUMBO 2BB BK

- Black Powder Coated Frame
- 2 Brass Burner:
 1 Jumbo + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 600 x 360 x 55 mm









POWER 4BB BK

- Black Powder Coated Frame
- 4 Brass Burner:
 - 2 Medium + 2 Small
- Powder Coated Round Pan Support
- · Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm





POWER 3BB BK

- Black Powder Coated Frame
- 3 Brass Burner: 2 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm





POWER 2BB BK

- Black Powder Coated Frame
- 2 Brass Burner: 1 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 600 x 290 x 55 mm











FABER PRESENTS INDIA'S CHOICE CANDY

Available Colours











Lemans Blue

8 IN 1 FUNCTIONS

















MASTERCHEF

ALL-IN-1 MIXER GRINDER, JUICER & BLENDER WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

Available Colours









White

SLICING.





FMG MASTERCHEF 3J/4J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- · Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar







FMG CANDY 4 J/3J

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- · Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar







FMG CROWN 800 W 3J/4J

- Manual functions
- 4 Jar Blender Mixer Grinder
- Motor Capaity: 800 Watts (Copper)
- RPM, 20000 Approx. No Load Speeds
- 0.4 ltrs/ 1.5 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock









FMG HILUX 550 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capaity: 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock







Nero

FMG VOGUE 600 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capaity : 600 Watts (Copper)
- RPM, 19000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
 Safety ensure Physics
- 3 Pin 5 Amps Plug
- Clip lock








Blanc

SONNET 500 W

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capaity: 500 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
 - 3 Pin 5 Amps Plug







FHB 6059 FS BK

44 mm Diameter 550w DC Motor ABS Plastic Body SS Shaft & Blade 1 Speed + Stepless Variable Speed Chopper bowl, Whisk, Measuring Cup, 1L Storage Container



FHB 6059 SO BK

44 mm Diameter 550w DC Motor ABS Plastic Body SS Shaft & Blade 1 Speed + Stepless Variable Speed 1L Storage Container







High Performance DC Motor



Swirl Flow



BPA Free Plastics



Gearbox Drive



Super Quiet > 45 dB



Infinitely Adjustable Control



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests





Micromesh Juicing Sieve



Multi Purpose SS Jar



3-Speed Control



Powerful 500W Motor



Double Lock System

FJMG REGAL TREND 2J

Motor Capacity: 500 Watts

Jar: 0.8 L / 1.5 L

High Performance Blade

Micromesh Juicing Sleeves

Speed: 3 Speed + 1 Pulse (18000 RPM)

Accessories: Spatula Color: White - Cherry Red

2 Pin 2 Core





Juice I Smoothies I Nut Milk I Sorbet I Salad Maker



High Performance DC Motor



BPA Free Plastic



< 45db



Upto 95% Efficiency



28Nm Torque Gear Box



Comes with Salad Maker Attachments













FSJ 200 BK-M

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC, 304 stainless steel, copper
- Salad making



FSJ 150 R

- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Special patent
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC, 304 stainless steel, copper



Salad Maker





FABER Slow Juicer

OTHER Centrifugal juicer







FRUITS (Hard & Soft) Apple, Grape, Orange, Pomegranate, SweetLime, Grapefruit, Pineapple, Watermelon, Mango, Dragonfruit, Peach, Pear, etc



LEAFY GREENS Wheatgrass, Celery, Parsley, Spinach, Kale, etc. Add Apple / Pineapple / Orange to Leafy Greens for delicious Healthy Juice.



VEGETABLES Carrot, Beetroot, Cucumber, Tomato, Bottle-guard, Amla, Bitter-guard, etc



NUT MILKAlmond, Cashew, Soy, etc.
Prepare Delicious & Healthy Vegan Nut Milk



C-GUARD

RO WITH VITAMIN C FILTER



RO ki purity. WORLD'S FIRST Vitamin C ki immunity.

DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER







C-GUARD PLUS

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment 1
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- · Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit







ALTROZ

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- · Sediment 1
- Sediment 2
- Pre Carbon
- Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT* Filter
- Mineral Filter
- UF Membrane
- UV Filter
- 3000*PPM TDS# Filtration Limit
- Water Level Indicator



CASPER PLUS

- RO + UV + CU Guard Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- IIV Filter
- Copper Guard
- 2500* PPM TDS# Filtration Limit
- · Water Level Indicator
- Tank Full Indicator



NEUTRON PLUS

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- External Sediment 1
- Sediment 2
- Pre Carbon
- · CSM 80 GPD RO Membrane
- Post Carbon
- IJF Membrane
- UV Filter
- Copper Guard
- PH Enhancer
- 2500*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



CASPER DLX

- RO + UF + MAT Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- Inside Post Carbon MAT* Filter
- 2500* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator





C-GUARD

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment 1
- Sediment 2
- Pre Carbon
- 80 GPD RO Membrane
- · C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



UTS PT PRO (RO+UV)

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment 1
- Sediment 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500* PPM TDS# Filtration Limit
- >12LPH@25°C, 20 PSI, TDS 750PPM Filteration Capacity
- 1.6LPM RO Booster Pump





XUV 8000

7 Litres (Gross Volume) Storage Tank

UV + UF+ Alkaline

7 Stage Filteration

Sediment-1

Pre Carbon

Sediment-2 Post Carbon

Alkaline in Post Carbon

UV Filter

UF Memberane

Water Level Indicator

Tank Full Indicator

500 PPM TDS# Filteration Limit

*MAT: MINERAL ADDITION TECHNOLOGY #TDS: TOTAL DISSOLVED SOLIDS





Bake, toast and grill GOODNESS!

Make every day delightfully delicious with the FABER OTG.



THE **FOTG** SERIES















60 MINUTES TIMER

CHAMBER LIGHT FOR EASY MONITOR

AUTO SHUT OFF & READY BELL

ACCESSORIES FOR MULTI-COOKING

ROTISSERIE

CONVECTION

CRUMB TRAY

Safety & Standards









180 Quality Tests Coating

ISO 9001:2008 Certified Factory



FOTG 60L

60 Litres Capacity Rotisserie Function Convection Function 2200 Watts 60 min timer 100 - 250° C Adjustable Temp Cool Touch Handle 4pcs SS Heating Element

With Indicator Light
4 Stages Switch Heating Selection:

off / Upper Heating / Lower Heating / Upper & Lower Heating Auto Shut Off & Ready Bell Removable Crumb Tray



FOTG 45L

45 Litres Capacity
Rotisserie Function
Convection Function
2000 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:

off / Upper Heating / Lower Heating / Upper & Lower Heating

Auto Shut Off & Ready Bell Removable Crumb Tray



FOTG 34L

34 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 24L

24 Litres Capacity
Rotisserie Function
Convection Function
1600 Watts
60 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
4pcs SS Heating Element
With Indicator Light
6 Stages Switch Heating Selection:
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray



FOTG 9L

9 Litres Capacity
1000 Watts
30 min timer
100 - 250° C Adjustable Temp
Cool Touch Handle
SS Heating Element
With Indicator Light
off / Upper Heating / Lower Heating
/ Upper & Lower Heating
Auto Shut Off & Ready Bell
Removable Crumb Tray







FT 950W DLX BK

Capacity: 2-short slice
220-240V 50-60Hz 950W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Ajustable browning control/7 setting
With anti-jam function



FT 900W BK

Capacity: 2-short slice
220-240V 50-60Hz 900W
Electronic control
With reheat/defrost/cancel setting and have red indicator
Ajustable browning control/7 setting
With anti-jam function





Features:



2 Bread Slice Slot 120cm x 120cm



Reheat Function



Cool Touch



Defrost Function



950 W Max/900 W Input



Cancel Function



Food Grade Heating Element



7 Browning Setting

Convenience



Removable Crumb Tray



Food Grade Plastic



Auto Pop Up







Thermostatically controlled Auto Cut off



BPA free plastic



Non Stick Coating



Cool Touch Housing

FSTG 750 BK





750 W Max Input



High Performance Heating Element









ISO 9001:2008 Certified Factory



180 Quality Tests



FANA Certifie



RPA FREE



PENA ERFE







KETTLE SS

Capacity: 1.8L, 1.5L, 1.2L 220-240V 50Hz 1500W Auto Switch off Hinged and locking lid Detachable jug kettle with 360 power base **Cool touch Handle Dry Heat Protection** Over Heat Protection Auto Switch Off when water is boiled Stainless steel body with pre attached Filter



KETTLE 1.7L

Capacity: 1.7L 220-240V 50/60Hz, 2200W Plastic kettle with a detachable non-slip base Safety lock lid With steam and anti-dry Overheating the power-off function of triple protection Stainless steel heat element heating On/off switch and light indicator Transparent water gaugew show the water level With detachable filter for convenient cleaning



Features:



ON/OFF Switch with light indicator



Removable filter



360 degree base



Dry heating protection



1.7 Litres



Water level indicator



Cool Touch Body



Hidden SS 304 Element



2200 W Max Input



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



BPA FREE



PFOA FREE





85 % REDUCED OIL USAGE







SMART LIGHT INDICATOR



ZERO OIL- HEALTHY COOKING



8 PRE SET COOKING MENUS



SWIRL HEATING TECHNOLOGY



4.5 L CAPACITY



AUTO SHUT OFF



FAF 4.5MSBK

- Capacity: 4L (basket) / 4.5 (drawer)
- 220-240v 50/60Hz 1500W
- · Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- · With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)





FAF 3.0 L BK

- Capacity: 2.7L (basket) / 3.0L (drawer)
- 220-240v 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



FEATURES & CONVIENCE



4.5 Litres



80 - 200° C



Cool Touch Handle



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



Swirl Cooking



Non Stick Slide Pan Out



1500 W Max Input



AUTO SHUT OFF



PFOA FREE



BPA FREE



DISWASHER SAFE PAN



Digital





ROAST





BAKE

GRILL



DURAMAX WH 150W

Capacity: 2 Litres

Stainless steel drum

Overload Protector

Direct drive transmission

150-Watt Motor, 960RPM, 230V, 50HZ

Transparent lid and air vent



02 Litres



25 MINUTES CONTINUOUS RUNNING



SPECIAL HIGH GRADE STONE









FMC 1.2 BK

Capacity: 1.2 Litres

 $220-240\overline{V}50-60\overline{Hz}700\overline{W}$

SS 304 Container

Multi Cooker





FOOD GRADE INTERNAL



1.2 LITRES







A HELMET OR
THE SAFER GEYSER?
YOUR CHOICE.



*5-Star BEE Standard

* TC Apply

PRESENTING FABER GEYSERS WITH 12 SAFETY FEATURES

Whether it's your bathroom or your kitchen, make the safer choice with Faber Geysers. With 12 built-in safety features, they are engineered to deliver peace of mind. Always.





ANTI SHOCK PRESSURE RESIST

#Safer With Faber



LEXUS

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10, 15L, 25 Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- · Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off

AVAILABLE COLOR







Red Ivory

JAZZ LHS & RHS

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- · Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off







INSTA

- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW), FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve Thermostat Thermal cut off
- 3 Pin, 3 core plug
- 8 Bar High Working Pressure

JAZZ ELITE 15/25

- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- Vertical Installation
- Wine Color
- · Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off







VULCAN

- FWG VULCAN 6V, FWG VULCAN 10V, FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- · Heating indicator
- · Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating CRCA EDD Grade Tank material
- MFV Safety valve Thermostat Thermal cut off















Single Weld line



High Working Pressure



Thermal Cutout



No Water Leakages Even Coating Across Area



5-Bolt Flange



High Precision Thermostat



MFV (Exteme Condition)



Low Carbon CRCA Sheet for better strength



Multi-Layer



Magnesium Anode



Glasslined Element



Girth Welding



CYRUS

- FWG CYRUS 15, FWG CYRUS 30
- 15L, 25L Capacity
- Vertical Installation
- · Black/Cherry Colour
- Digital display, Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating
- MFV Safety valve Thermostat Thermal cut off







Also available in manual model





Manual Model

Digital Model

JAZZ ELITE 35/50

- FWG JAZZ ELITE 35, FWG JAZZ ELITE 50
- 35L, 50L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating
- MFV Safety valve Thermostat Thermal cut off







AGNES

- FWG AGNES
- Tank less
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- 3500W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
- 50 Hz Rated Frequency
- Thermostat
- Thermal cut off









YOU AND YOUR FAMILY... NOW SAFER WITH FABER













Seafoam

Blonde

Indigo

Iris



OXYPURE 10

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 15 Meters Power Cord
- Plug & PLay Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimesion (L*W*H): 330*270*320 mm



TAD 1L SS

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & PLay Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only





TAD 2L SS

- 2 Litre Capacity
- Stainless Steel, SS 430 Material
- · Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & PLay Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 5L SS

- 5 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & PLay Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



TAD 2L 3-in-1

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & PLay Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



FDS CARE PRO

- DC 5V / 2Amp Rated Inpur
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally freindly

FDS CARE PLUS-FR

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dustRemoves bacteria & viruses
- Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 510 IIIII X 00 IIIII FTUUUCI SIZE (UIIIUIUIII)
- 310 mm x 160 mm Product size (Unfolding)
 3 in 1 (UV Sterilization + Pasteurization +Cloth dryer
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 mm range powerfully germicidal
- · Portable & compact design
- · Unlike chemical treatments, the process of UV disinfection is environmentally freindly





FDS SUV 20 / FDS SUV 30

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C 45°C, 10-85% humidity Operationg Temperature
- UV-C protection against opening of door







Scan to download Faber Master Catalogue



FRANKE FABER INDIA PRIVATE LIMITED

Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune 412208, Maharashtra, India Toll Free Helpline: 1800 209 3484, email: ks-customercare.in@franke.com, website: www.faberindia.com

Follow us on: f /FaberIndia //faberindia //faberSpaIndia

Franke Faber India Private Limited is Licensed User of ® Trademark of FABER S.P.A

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.